5. Jagirda

Som

New York State Department of Environmental Conservation V E State Department of Environmental RECETVE



Commissioner

**國 18 日** 

## CERTIFIED MAIL, RETURN RECEIPT REQUESTED

SOLID AND MAZARDOUS WAS ---MAR 1 2 1990

Mr. John Sweeney
Plant Manager
Nelson Galvanizing
11-02 Broadway
Long Island City, NY 11101

RE: Hazardous Waste Compliance Inspection Date: October 3, 1989

Location of Handler: Same as Above

EPA Identification Number: NYD001229350

Dear Mr. Sweeney:

A warning letter dated January 24, 1990, was sent to you identifying violations of the New York State Hazardous Waste Regulations. This letter required a response indicating that you had taken corrective action. As of the date stamped above on this letter, no response has been received. A copy of the warning letter is enclosed.

You must respond, in writing within 15 days of the date stamped on this letter, to avoid the initiation of enforcement proceedings. Please be sure to include your EPA Identification Number on all correspondence.

Send your response to:

Mr. Sudhir H. Jagirdar, P.E.
Regional Hazardous Substances Engineer
New York State Department of Environmental Conservation
Hunter's Point Plaza
47-40 21st Street
Long Island City, NY 11101
(718) 482-4900
Attention: Mr. Sam Arakhan, Inspector

## with a copy to:

New York State Department of Environmental Conservation Division of Hazardous Substances Regulation Bureau of Hazardous Waste Facility Compliance Compliance Inspection Unit 50 Wolf Road Room 208/204 Albany, NY 12233-7252 (518) 457-0532 Attention: Mr. Arvind Goswami. Reviewer

If a response has already been sent, please disregard this letter.

Sincerely,

Janakrai M. Desai, P.E. Supervisor Compliance Inspection Unit Bur. of Hazardous Waste Facility Compliance Division of Hazardous Substances Regulation

## Enclosure

cc: C. Moore, Regional Attorney, Region 2

S. Jagirdar, Regional Hazardous Substances Engineer, Region 2

S. Arakhan, Inspector, Region 2

D. Stephens, Reviewer, Central Office